



Bibliografía

Referencias

Abouelsoued, DM, Shaapan, RM, Elkhateeb, RMM, Elnattat, WS, Hammam, AMMM., and Hammam, A. M. (2020). Therapeutic Efficacy of Ginger (*Zingiber officinale*), Ginseng (*Panax ginseng*) and Sage (*Salvia officinalis*) against *Cryptosporidium parvum* in experimentally infected mice. Egyptian Journal of Veterinary Sciences, 51(2), 241-251.

Al-Hamairy A, Mugheer AH, Al-Dulaimi FA. (2012) Prevalence of *Cryptosporidium* spp. and treatment by using some plant extracts in Al-Hilla City, Babylon Province of Iraq. Egypt J Exp Biol (Zoo) 8:287-93

Al-Mathal EM, Alsalem AM. (2012) Pomegranate (*Punica granatum*) peel is effective in a murine model of experimental *Cryptosporidium parvum*. Exp Parasitol. Jul;131(3):350-7.

All-Island Animal Disease Surveillance (AFBI, 2012). Veterinary Laboratory Service and Agri-Food & Biosciences Institute.

Almawly, J., Prattley, D., French, N. P., Lopez-Villalobos, N., Hedgespeth, B., and Grinberg, A. (2013). Utility of halofuginone lactate for the prevention of natural cryptosporidiosis of calves, in the presence of co-infection with rotavirus and *Salmonella* Typhimurium. Veterinary Parasitology, 197(1-2), 59-67.

Abouelsoued, DM, Shaapan, RM, Elkhateeb, RMM, Elnattat, WS, Hammam, AMMM., and Hammam, A. M. (2020). Therapeutic Efficacy of Ginger (*Zingiber officinale*), Ginseng (*Panax ginseng*) and Sage (*Salvia officinalis*) against *Cryptosporidium parvum* in experimentally infected mice. Egyptian Journal of Veterinary Sciences, 51(2), 241-251.

Björkman, C., von Brömssen C., Troell, K. and Svensson, C. (2018) Disinfection with hydrated lime may help manage cryptosporidiosis in calves. Veterinary Parasitology 264: 58-63.

Borowski, H., Clode, P. L., and Thompson, R. A. (2008). Active invasion and/or encapsulation? A reappraisal of host-cell parasitism by *Cryptosporidium*. Trends in Parasitology, 24(11), 509-516.

Bochimoto, H., Kondoh, D., Ishihara, Y., Kabir, M. H. B., and Kato, K. (2020). Functional Perspective of Feeder Organelle from Three-dimensional Ultrastructural Characteristics in *Cryptosporidium parvum*. Journal of Integrated Field Science, 17, 1-4.





- Brainard, J., Hammer, C. C., Tyler, K., and Hunter, P. R. (2020). Efficacy of non-halofuginone-based strategies to prevent or treat cryptosporidiosis in bovine calves: A systematic review
- Innes E., and Wright, S. (2008). Cryptosporidium and cryptosporidiosis. The Moredun Foundation News Sheet Vol. 4, No. 10.
- Cacciò, S. M., and Chalmers, R. M. (2016). Human cryptosporidiosis in Europe. Clinical Microbiology and Infection, 22(6), 471-480.
- Center for Food Security and Public Health (CFSPH) (2004). Iowa State University. <https://www.cfsph.iastate.edu/infection-control/disinfection/> revisado el 20 de abril de 2021.
- Charania, R.; Wade, B.; McNair, N.; Mead, J. (2020). Changes in the Microbiome of Cryptosporidium-Infected Mice Correlate to Differences in Susceptibility and Infection Levels. Microorganisms, 8, 879.
- Choy, R. K., y Huston, C. D. (2020). Cryptosporidiosis should be designated as a tropical disease by the US Food and Drug Administration. PLoS Neglected Tropical Diseases, 14(7), e0008252.
- Checkley, WA ,White C., Devan J, Arrowood, MJ, Chalmers, RM, Chen,XM, Fayer R.et al. (2015). A review of the global burden, novel diagnostics, therapeutics, and vaccine targets for cryptosporidium. The Lancet Infectious Diseases 15(1):85-94.
- Davidson RN, den Boer M, Ritmeijer K (2009). Paromomycin. Transactions of the Royal Society of Tropical Medicine and Hygiene 103, 653-660.
- Dinler, C. and Ulutas, B., (2017). Cryptosporidiosis in ruminants: update and current therapeutic approaches. Am. J. Anim. Vet. Sci, 12(3), 96-103.
- Faubert, G. M., and Litvinsky, Y. (2000). Natural transmission of Cryptosporidium parvum between dams and calves on a dairy farm. Journal of Parasitology, 86(3), 495-500.
- Fayer, R., Trout, JM, Graczyk, TK, Lewis, EJ. 2000. Prevalence of Cryptosporidium, Giardia and Eimeria infections in post-weaned and adult cattle on three Maryland farms. Veterinary Parasitology 93:103-112
- Foster, D. M., and Smith, G. W. (2009). Pathophysiology of diarrhea in calves. Veterinary Clinics of North America: Food Animal Practice, 25(1), 13-36
- Gaafar MR. (2012) Efficacy of Allium sativum (garlic) against experimental cryptosporidiosis. Alex J Med. 48:59-66.



- Geurden, T., Claerebout, E., Dursin, L., Deflandre, A., Bernay, F., Kaltsatos, V., and Vercruysse, J. (2006). The efficacy of an oral treatment with paromomycin against an experimental infection with *Giardia* in calves. *Veterinary Parasitology*, 135(3-4), 241-247.
- Griffiths, J. K., Balakrishnan, R., Widmer, G., and Tzipori, S. (1998). Paromomycin and Geneticin Inhibit Intracellular *Cryptosporidium parvum* without Trafficking through the Host Cell Cytoplasm: Implications for Drug Delivery. *Infection and immunity*, 66(8), 3874-3883.
- Ji R, Cui W, Liang RW, Guan ZY, Li RF. (2013). Protective effect of radix *Sophorae flavescentis* mixture on intestinal mucosa in mice infected with *Cryptosporidium parvum*. *Aug*;31(4):275-9. Chinese. PMID: 24812877.
- Jumani, RS. (2018), Methods To Identify And Develop Drugs For Cryptosporidiosis. Graduate College Dissertations and Theses. 892. <https://scholarworks.uvm.edu/graddis/892>.
- Keidel, J., and Dausgschies, A. (2013). Integration of halofuginone lactate treatment and disinfection with p-chloro-m-cresol to control natural cryptosporidiosis in calves. *Veterinary parasitology*, 196(3-4), 321-326.
- Klein, P., Kleinová, T., Volek, Z., & Šimůnek, J. (2008). Effect of *Cryptosporidium parvum* infection on the absorptive capacity and paracellular permeability of the small intestine in neonatal calves. *Veterinary Parasitology*, 152(1-2), 53-59.
- Maddox-Hyttel, C., Langkjær, R. B., Enemark, H. L., and Vigre, H. (2006). *Cryptosporidium* and *Giardia* in different age groups of Danish cattle and pigs—occurrence and management associated risk factors. *Veterinary Parasitology*, 141(1-2), 48-59.
- Masood, S., Maqbool, A., Khan, U. J., Chaudhry, Z. I., and Anjum, A. A. (2013). Anti-*Cryptosporidium* activity of albendazole, metronidazole and paromomycin in experimentally infected cattle. *Pakistan Journal of Zoology*, 45(4).
- Mead J.R., Arrowood M.J. (2014) Treatment of Cryptosporidiosis. In: Cacciò S., Widmer G. (eds) *Cryptosporidium: parasite and disease*. Springer, Vienna. https://doi.org/10.1007/978-3-7091-1562-6_11.
- Meganck, V., Hoflack, G., Piepers, S., and Opsomer, G. (2015). Evaluation of a protocol to reduce the incidence of neonatal calf diarrhoea on dairy herds. *Preventive Veterinary Medicine*, 118 (1), 64-70.
- Moon H, Woode G, and Ahrens F (1982) Attempted chemoprophylaxis of cryptosporidiosis in calves. *The Veterinary Record* 110(8):181.
- Moore, D.A., E.R. Atwill, J.H. Kirk, D. Brahmhatt and et al., (2003). Prophylactic use of decoquinatate for infections with *Cryptosporidium parvum* in experimentally challenged neonatal calves. *J. Am. Vet. Med. Assoc.*, 223



- Murphy, D. (2019). Bovine Neonatal Enteritis. Chapter 6. All-Island Animal Disease Surveillance. Veterinary Laboratory Service and Agri-Food & Biosciences Institute. Editor Sánchez-Miguel, C.
- Noack, S., Chapman, H. D., and Selzer, P. M. (2019). Anticoccidial drugs of the livestock industry. *Parasitology research*, 118(7), 2009-2026.
- Noah Compendium. Contraindicaciones del uso de Sulfato de Paramomicina. <https://www.noahcompendium.co.uk/?id=-469991>. Revisado 2 de abril de 2021.
- O'Handley, R. M., Cockwill, C., McAllister, T. A., Jelinski, M., Morck, D. W., and Olson, M. E. (1999). Duration of naturally acquired giardiasis and cryptosporidiosis in dairy calves and their association with diarrhea. *Journal of the American Veterinary Medical Association*, 214(3), 391-396.
- Panciera, R. J., Thomassen, R. W., and Garner, F. M. (1971). Cryptosporidial infection in a calf. *Veterinary Pathology*, 8(5-6), 479-484.
- Randhawa, S. S., Swaran S. Randhawa, U. N. Zahid, L. D. Singla, and P. D. Juyal. Drug combination therapy in control of cryptosporidiosis in Ludhiana district of Punjab. *Journal of parasitic diseases* 36, no. 2 (2012): 269-272.
- Riggs, M. W. (2002). Recent advances in cryptosporidiosis: the immune response. *Microbes and infection*, 4(10), 1067-1080.
- Rueckert, S., E.L. Betts, and A.D. Tsoulos. (2019). The Symbiotic Spectrum: Where Do the Gregarines Fit? *Trends in Parasitology*. 35:687-694.
- Santín, M y Trout, J. (2007). *Livestock. Capítulo 18. Cryptosporidium and cryptosporidiosis* Fayer, R., and Xiao, L. (Eds.). CRC press.
- Shaimaa, A. M., Noor, A. A., and Ibrahim, A. A. (2015). The effect of aqueous alcohol Artemisia herba-alba and Thymus vulgaris extract on the Cryptosporidium parvum in the White Mouse (BALB/C). *Int J Adv Res*, 3, 31-35.
- Silverlås, C., Björkman, C., and Egenvall, A. (2009). Systematic review and meta-analyses of the effects of halofuginone against calf cryptosporidiosis. *Preventive veterinary medicine*, 91(2-4), 73-84.
- Shaw, H. J., Innes, E. A., Morrison, L. J., Katzer, F., and Wells, B. (2020). Long-term production effects of clinical cryptosporidiosis in neonatal calves. *International journal for parasitology*, 50(5), 371-376.
- Shaw, H. J., Armstrong, C., Uttley, K., Morrison, L. J., Innes, E. A., and Katzer, F. (2021). Genetic diversity and shedding profiles for *Cryptosporidium parvum* in adult cattle and their calves. *Current Research in Parasitology & Vector-Borne Diseases*, 100027.



- Smith, G. W. (2009). Treatment of calf diarrhea: oral fluid therapy. *Veterinary Clinics of North America: Food Animal Practice*, 25(1), 55-72.
- Schnyder, M., Kohler, L., Hemphill, A., and Deplazes, P. (2009). Prophylactic and therapeutic efficacy of nitazoxanide against *Cryptosporidium parvum* in experimentally challenged neonatal calves. *Veterinary Parasitology*, 160(1-2), 149-154.
- Thomson, Sarah (2016) *Cryptosporidiosis in farm livestock*. PhD thesis. University of Glasgow.
- Thomson, S., Hamilton, C. A., Hope, J. C., Katzer, F., Mabbott, N. A., Morrison, L. J., and Innes, E. A. (2017). Bovine cryptosporidiosis: impact, host-parasite interaction and control strategies. *Veterinary Research*, 48(1), 1-16.
- Travers, M. A., Florent, I., Kohl, L., and Grellier, P. (2011). Probiotics for the control of parasites: an overview. *Journal of Parasitology Research*.
- Tyzzar, E. E. (1912). *Cryptosporidium parvum* (sp. nov.), a Coccidium. *Archiv für Protistenkunde*, 26, 394.
- Vázquez-Flores, S. (2003). Diferenciación de *Cryptosporidium* spp. en Ganado Bovino Mediante Diagnóstico Morfológico, Genético e Inmunológico en Ocho Estados de la República Mexicana. Tesis Doctoral. Universidad Autónoma Metropolitana, Unidad Xochimilco y Centers for Disease Control and Prevention, Atlanta, Ga.
- Vázquez Flores, S. (2008). Los manano-oligosacáridos en el control de enteropatógenos Área II: Biotecnología y Ciencias Naturales del 38° Congreso de Investigación y Desarrollo del Tecnológico de Monterrey. ISBN 968-891-124-0.
- Vázquez-Flores, S. (2011a). Clínica, cirugía y Producción de Becerras y Vaquillas Lecheras, Capítulo 3, Criptosporidiosis, giardiosis y coccidiosis. p 291:306. Editor Mario Medina Cruz, 12 Editorial ISBN 978-607-706-031-4.
- Vázquez-Flores, S. (2011b). Título: Cryptosporidiosis en Bovinos. Capítulo 3. En Epidemiología de Enfermedades Parasitarias en Animales Domésticos. Editores: Héctor Quiróz Romero, Juan Antonio Figueroa Castillo, Froylán Ibarra Velarde, María Eugenia López Arellano ISBN 978-607-00-4015-3. Primera Ed.
- Vázquez-Flores, S., L Rojas-López, D Maycotte-Cervantes, D de la Torre. (2014). Distribution of enteric parasites in Dairy and Beef Cattle in different production stages. A study from 2008 to 2013 in the main cattle states of México (2014). World Buiatrics Congress Cairne, Australia. Editor David S. Beggs. Werribee, Australia. Australian Cattle Veterinarians. ISBN 978-0-992546-2-6 (versión impresa) 978-0-9925465-3-3 (versión electrónica).

.....

Vázquez- Flores, S. Guerrero, Vicente, Geert Vertenten, (2018). Distribution of E. coli K99, Rotavirus, Coronavirus and Cryptosporidium spp., in calves with diarrhea from 17 regions of Mexico. 30th World Buiatrics Congress, Sapporo, Japón.

Wickramasinghe, H. K. J. P., Kramer, A. J., and Appuhamy, J. A. D. R. N. (2019). Drinking water intake of newborn dairy calves and its effects on feed intake, growth performance, health status, and nutrient digestibility. Journal of Dairy Science, 102(1), 377-387.

Zambriski JA, Nydam DV, Wilcox ZJ, Bowman DD, Mohammed HO, Liotta JL (2013) Cryptosporidium parvum: determination of ID50 and the dose response relationship in experimentally challenged dairy calves. Vet Parasitol 197:104-112

