



Referencias

- Alemu, A.W., Pekrul, L.K.D., Shreck, A.L., Booker, C.W., McGinn, S.M., Kindermann, M., Beauchemin K.A., 2021. 3-Nitrooxypropanol Decreased Enteric Methane Production From Growing Beef Cattle in a Commercial Feedlot: Implications for Sustainable Beef Cattle Production. *Front. Anim. Sci.* 2, 641590.
- Alugongo, G.M., Xiao, J., Wu, Z., Li, S., Wang, Y., Cao, Z., 2017. Review: Utilization of yeast of *Saccharomyces cerevisiae* origin in artificially raised calves. *J Anim Sci Biotechnol.* 8, 34.
- Araujo, R.C., Daley, D.R., Goodall, S.R., Jalali, S., Bisneto, O.G., Budde, A.M., Wagner, J.J., Engle, T.E., 2019. Effects of a microencapsulated blend of essential oils supplemented alone or in combination with monensin on performance and carcass characteristics of growing and finishing beef steers. *Appl Anim Sci.* 35, 177–184.
- Benchaar, C., Duynisveld, J.L., Charmley, E., 2006. Effects of monensin and increasing dose levels of a mixture of essential oil compounds on intake, digestion and growth performance of beef cattle. *Can. J. Anim. Sci.* 86, 91–96.
- Bravo, D., Pyatt, N.A., Doane, P.H., Cecava, M.J., 2009. Meta analysis of growing ruminants fed a mixture of eugenol, cinnamaldehyde and capscicum oleoresin. *J. Anim. Sci.* 87, E-Suppl. 2/J. Dairy Sci. 92, E-Suppl. 1, 374.
- Busquet, M., Calsamiglia, S., Ferret, A., Carro, M.D., Kamel, C., 2005. Effect of garlic oil and four of its compounds on rumen microbial fermentation. *J. Dairy Sci.* 88, 4393–4404.
- Calsamiglia, S., Blanch, M., Ferret, A., Moya, D. 2012. Is subacute ruminal acidosis a pH related problem? Causes and tools for its control. *Anim. Feed Sci. Technol.* 172, 42– 50.
- Calsamiglia, S., Busquet, M., Cardozo, P.W., Castillejos, L., Ferret, A., 2007. Essential oils as modifiers of rumen microbial fermentation. *J. Dairy Sci.* 90, 2580–2595.
- Cardozo, P.W., Calsamiglia, S., Ferret, A., Kamel, C., 2004. Effects of plant extracts on ruminal protein degradation and fermentation profiles in continuous culture. *J. Anim. Sci.* 82, 3230–3236.
- Cardozo, P.W., Calsamiglia, S., Ferret, A., Kamel, C., 2005. Screening for the effects of natural plant extracts at different pH on in vitro rumen microbial fermentation of a high-concentrate diet for beef cattle. *J. Anim. Sci.* 83, 2572–2579.
- Cardozo, P.W., Calsamiglia, S., Ferret, A., Kamel, C., 2005. Screening for the effects of natural plant extracts at different pH on in vitro rumen microbial fermentation of a high-concentrate diet for beef cattle. *J. Anim. Sci.* 83, 2572–2579.
- Cardozo, P.W., Calsamiglia, S., Ferret, A., Kamel, C., 2006. Effects of alfalfa extract, anise, capsicum, and a mixture of cinnamaldehyde and eugenol on ruminal fermentation and protein degradation in beef heifers fed a high-concentrate diet. *J. Anim. Sci.* 84, 2801–2808.
- Carrasco, C., Medel, P., Fuentaja, A., Ranilla M.J., Carro M.D., 2016. Effect of disodium/calcium malate or *Saccharomyces cerevisiae*



supplementation on growth performance, carcass quality, ruminal fermentation products, and blood metabolites of heifers. *J. Anim. Sci.* 94, 4315-4325.

Carro, M.D., Saro, C., Mateos, I., Díaz, A. y Ranilla, M.J., 2014a. Presente y perspectivas de futuro en la UE del empleo de probióticos en la alimentación de rumiantes. *Ganadería*, septiembre-octubre, 40-46.

Carro, M.D., Saro, C., Mateos, I., Díaz, A. y Ranilla, M.J., 2014b. Perspectivas y retos de los extractos vegetales como aditivos alimentarios en rumiantes. *Albéitar*, octubre, 4-6.

Castillo-Lopez, E., Rivera-Chacon, R., Ricci, S., Petri, R.M., Reisinger, N., Zebeli, Q., 2021. Short-term screening of multiple phytogetic compounds for their potential to modulate chewing behavior, ruminal fermentation profile, and pH in cattle fed grain-rich diets. *J. Dairy Sci.* 104, 4271-4289.

Chaucheyras-Durand, F., Fonty, G., 2002. Influence of a probiotic yeast (*Saccharomyces cerevisiae* CNCM I-1077) on microbial colonization and fermentation in the rumen of newborn lamb. *Microb. Ecol. Health. Dis.* 14, 30-36.

Cunha, C.S., Marcondes, M.N., Silva, A.L., Gionbelli, T.R.S., Novaes, M.A.S., Knupp, L.S., Virginio Júnior, G.F., Veloso, C.M., 2019. Do live or inactive yeasts improve cattle ruminal environment? *R. Bras. Zootec.* 48, e20180259

Dijkstra, J., Bannink, A., France, J., Kebreab, E., van Gastelen, S., 2018. Short communication: Antimethanogenic effects of 3-nitrooxypropanol depend on supplementation dose, dietary fiber content, and cattle type. *J. Dairy Sci.* 101, 9041-9047. doi: 10.3168/jds.2018-14456

Erdman, R.A., Botts, R.L., Hemken, R.W., Bull, L.S., 1980. Effect of dietary sodium bicarbonate and magnesium oxide on production and physiology in early lactation. *J. Dairy Sci.* 63, 923-930.

Fandino, I., Calsamiglia, S., Ferret, A., Blanch, M., 2008. Anise and capsicum as alternatives to monensin to modify rumen fermentation in beef heifers fed a high concentrate diet. *Anim. Feed Sci. Technol.* 145, 409-417.

Fandino, I., Calsamiglia, S., Ferret, A., Blanch, M., 2008. Anise and capsicum as alternatives to monensin to modify rumen fermentation in beef heifers fed a high concentrate diet. *Anim. Feed Sci. Technol.* 145, 409-417.

Farran, T., Erickson, G.E., Klopfenstein, T.J., 2003. Evaluation of Buffering Agents in Feedlot Diets for Cattle. 2003 Nebraska Beef Cattle Report, 35-38.

Feng X., Kebreab E., 2020. Net reductions in greenhouse gas emissions from feed additive use in California dairy cattle. *PLOS ONE* 15, e0234289.

Fonty, G., Chaucheyras-Durand, F., 2006. Effects and modes of action of live yeasts in the rumen. *Biologia* 61, 741-750.

Fuller, R., 2004. What is a probiotic? *Biologist* 51, 232.

Galvão, K.N., Santos, J.E., Coscioni, A., Villaseñor, M., Sischo, W.M., Berge, A.C., 2005. Effect of feeding live yeast products to calves with failure of passive transfer on performance and patterns of antibiotic resistance in fecal *Escherichia coli*. *Reprod. Nutr. Dev.* 45, 427-40.

García-Rodríguez, J., Saro, C., Mateos, I., Carro, M.D., Ranilla, M.J., 2021 Over time effects of garlic oil and cinnamaldehyde on rumen fermentation and microbial populations in Rusitec fermenters. *Animal* (En evaluación).





Gouvêa, V.N., Glenn, C., Duff, C., Sowers, a., Barnes, M.L., 2021. Effects of supplemental phytomolecules on growth performance, carcass characteristics and liver abnormalities of finishing beef steers. *J. Appl. Anim. Res.* 49, 324-329.

Hristov, A.N., Oh, J., Giallongo, F., Frederick, T.W., Harper, M.T., Weeks, H.L., Branco, A.F., Moate, P.J., Deighton, M.H., Williams, S.R.O., Kindermann, M., Duval S., 2015. An inhibitor persistently decreased enteric methane emission from dairy cows with no negative effect on milk production. *PNAS* 112, 10663-10668.

Khiaosa-ard, R., Zebeli, Q., 2013. Meta-analysis of the effects of essential oils and their bioactive compounds on rumen fermentation characteristics and feed efficiency in ruminants. *J. Anim. Sci.* 91, 1819-1830.

Khiaosa-ard, R., Zebeli, Q., 2013. Meta-analysis of the effects of essential oils and their bioactive compounds on rumen fermentation characteristics and feed efficiency in ruminants. *J. Anim. Sci.* 91, 1819-1830.

Kim, S.H., Lee, C., Pechtl, H.A., Hettick, J.M., Campler, M.R., Pairis-Garcia, M.D., Beauchemin, K.A., Celi, P., Duval, S.M., 2019. Effects of 3-nitrooxypropanol on enteric methane production, rumen fermentation, and feeding behavior in beef cattle fed a high-forage or high-grain diet. *J. Anim. Sci.* 97, 2687-99.

Kinley, R.D., de Nys, R., Vucko, M.J., Machado, L., Tomkins, N.W., 2016. The red macroalgae *Asparagopsis taxiformis* is a potent natural antimethanogenic that reduces methane production during in vitro fermentation with rumen fluid. *Anim. Prod. Sci.* 56, 282e289.

Kinley, R.D., Martinez-Fernandez, G., Matthews, M.K., de Nys, R., Magnusson, M., Tomkins, N.W., 2020. Mitigating the carbon footprint and improving productivity of ruminant livestock agriculture using a red seaweed. *J. Clean. Prod.* 59, 120836.

Klieve, A.V., Hennessy, D., Ouwerkerk, D., Forster, R.J., Mackie, R.I., Attwood, G.T., 2003. Establishing populations of *Megasphaera elsdenii* YE 34 and *Butyrivibrio fibrosolvens* YE 44 in the rumen of cattle fed high grain diets. *J. Appl. Microbiol.* 95, 621-630.

Koutsos, E.A., Klasing, K.C., 2001. Interactions between the immune system, nutrition and productivity of animals. *Rec. Advan. Anim. Nutr.* 21, 173-190.

Lassey, K.R., Ulyatt, M.J., Martin, R.J., Walker, C.F., Shelton, I.D., 1997. Methane emissions measured directly from grazing livestock in New Zealand. *Atmos. Environ.* 31, 2905-2914.

Latack, B.C., Montano, M.F., Zinn, R.A., Salinas-Chavira, J., 2021. Effects of a blend of cinnamaldehyde-eugenol and capsiicum (Xtract® Ruminant 7065) and ionophore on performance of finishing Holstein steers and on characteristics of ruminal and total tract digestion. *J. Appl. Anim. Res.* 49, 185-193.

Le Ruyet, P., Tucker, W.B., 1992. Ruminal buffers: temporal effects on buffering capacity and pH of ruminal fluid from cows fed high concentrate diet. *J. Dairy Sci.* 75, 1069-1077.

Lesmeister, K.E., Heinrichs, A.J., Gabler, M.T., 2004. Effects of supplemental yeast (*Saccharomyces cerevisiae*) culture on rumen development, growth characteristics, and blood parameters in neonatal dairy calves. *J. Dairy Sci.* 87, 1832-9.

Machado, L., Magnusson, M., Paul, N.A., de Nys, R., Tomkins, N.W., 2014. Effects of marine and freshwater macroalgae on in vitro total gas and methane production. *PLOS ONE* 9, e85289.

Machado, L., Magnusson, M., Paul, N.A., Kinley, R.D., de Nys, R., Tomkins, N.W., 2015. Dose-response effects of *Asparagopsis taxiformis* and *Oedogonium* sp. on in vitro fermentation and methane production. *J. Appl. Phycol.* 28, 1443-1452.

Magalhães, V.J.A., Susca, F., Lima, F.S., Branco, A.F., Yoon, I., Santos, J.E.P., 2008. Effect of feeding yeast culture on performance, health, and immunocompetence of dairy calves. *J Dairy Sci.* 91, 1497–1509.

Mateos, I., Ranilla, M.J., Tejido, M.L., Saro, C., Kamel, C., Carro, M.D., 2013. The influence of diet on the effectiveness of garlic oil and cinnamaldehyde to manipulate in vitro ruminal fermentation and methane production. *Anim. Prod. Sci.* 53, 299–307.

Meyer, N.F., Erickson, G.E., Klopfenstein, T.J., Greenquist, M.A., Luebbe, M.K., William, P. Engstrom, M.A., 2009. Effect of essential oils, tylosin, and monensin on finishing steer performance, carcass characteristics, liver abscesses, ruminal fermentation, and digestibility. *J. Anim. Sci.* 87, 2346–2354.

Mills, J.A., Dijkstra, J., Bannink, A., Cammell, S.B., Kebreab, E., France, J., 2001. A mechanistic model of whole-tract digestion and methanogenesis in the lactating dairy cow: model development, evaluation, and application. *J. Anim. Sci.* 79, 1584–1597.

MITECO, 2021a. Avance de Inventario Nacional de Gases de Efecto Invernadero (GEI) 2020. Disponible en <https://www.miteco.gob.es/es/calidad-y-evaluacion-ambiental/temas/sistema-espanol-de-inventario-sei-/Inventario-GEI.aspx>. Último acceso 11/10/2021.

MITECO, 2021b. Tablas de datos de reporte CRF (Common Reporting Format) (marzo 2021). Disponible en <https://www.miteco.gob.es/es/calidad-y-evaluacion-ambiental/temas/sistema-espanol-de-inventario-sei-/Inventario-GEI.aspx>. Último acceso 11/10/2021.

Montañez-Valdez, O.D., Pinos-Rodríguez, J.M., Rojo-Rubio, R., Salinas-Chavira, J., Martínez Tinarejo, J.J., Salem, A.Z.M., Avellaneda-Cevallos, J.H. 2012. Effect of a calcified-seaweed extract as rumen buffer on ruminal disappearance and fermentation in steers. *Indian J. Anim. Sci.* 82, 430–432.

Muya, M. C., Nherera, F.V., Miller, K.A., Aperce, C.C., Moshidi, P.M., Erasmus, L.J., 2015. Effect of *Megasphaera elsdenii* NCIMB 41125 dosing on rumen development, volatile fatty acid production and blood betahydroxybutyrate in neonatal dairy calves. *J. Anim. Physiol. Anim. Nutr. (Berl.)* 99, 913–918.

Muya, M.C., Erasmus, L.J., Miller, K., Aperce, C., Nherera, F.V., Moshidi P.M., 2017. Performance of Holstein calves having free access to milk and dosed with *Megasphaera elsdenii*. *Sci. Agric.* 74, 189–194.

Newman. K.E., Jacques, K.A., 1995. Microbial feed additives for pre-ruminants. En: Wallace RJ, Chesson A. (editores). *Biotechnology in Animal Feeds and Animal Feeding*, pp.247 – 258. VCH, Weinheim, Alemania.

Paul, N.A., Cole, L., de Nys, R., Steinberg, P.D., 2006. Ultrastructure of the gland cells of the red alga *Asparagopsis armata* (Bonnemaisoniaceae). *J. Phycol.* 42, 637–645.

Rodríguez-Prado, M., Ferret, A., Zwieter, J., Gonzalez, L., Bravo, D., Calsamiglia S., 2012. Effects of dietary addition of capsicum extract on intake, water consumption, and rumen fermentation of fattening heifers fed a high-concentrate diet. *J. Anim. Sci.* 90, 1879–1884.

Romero-Perez, A., Okine, E.K., McGinn, S.M., Guan, L.L., Oba, M., Duval, S.M., Kindermann, M., Beauchemin, K.A., 2014. The potential of 3-nitrooxypropanol to lower enteric methane emissions from beef cattle. *J. Anim. Sci.* 92, 4682–4693.

Romero-Perez, A., Okine, E.K., McGinn, S.M., Guan, L.L., Oba, M., Duval, S.M., Kindermann, M., Beauchemin, K.A., 2015. Sustained reduction in methane production from long-term addition of 3-nitrooxypropanol to a beef cattle diet. *J. Anim. Sci.* 93, 1780–1791.

Roque, B.M., Salwen, J.K., Kinley, R., Kebreab, E., 2019. Inclusion of *Asparagopsis armata* in lactating dairy cows' diet reduces enteric methane emission by over 50 percent. *J. Clean. Prod.* 234, 132–138.



Roque, B.M., Venegas, M., Kinley, R.D., de Nys, R., Duarte, T.L., Yang, X., Kebreab, E., 2021. Red seaweed (*Asparagopsis taxiformis*) supplementation reduces enteric methane by over 80 percent in beef steers. *PLOS ONE* 16, e0247820.

Rossi, C., Compiani, R., Baldi, G., Taylor, S.J., Righi, F., Simoni, M., Quarantelli, A., 2019. Replacing sodium bicarbonate with half amount of calcareous marine algae in the diet of beef cattle. *Rev. Bras. Zootec.* 48:e20180129.

Russell, J.B., 1998. The importance of pH in the regulation of ruminal acetate to propionate ratio and methane production in vitro. *Journal of Dairy Science* 81, 3222–3230.

Sartori, E.D., Canozzi, M.E.A., Zago, D., Prates, E.R., Velho, J.P., Barcellos, J.O.J., 2017. The Effect of Live Yeast Supplementation on Beef Cattle Performance: A Systematic Review and Meta-Analysis. *J. Agric. Sci.* 9, 21–37.

Soldado, D., Bessa, R.J.B., Jerónimo, E., 2021. Condensed Tannins as Antioxidants in Ruminants—Effectiveness and Action Mechanisms to Improve Animal Antioxidant Status and Oxidative Stability of Products. *Animals* 11, 3243.

Thieszen, J., Van Bibber, C.L., Axman, J.E., Drouillard, J.S., 2015. Lactipro (*Megasphaera elsdenii*) Increases Ruminal pH and Alters Volatile Fatty Acids and Lactate During Transition to an 80% Concentrate Diet. *Kansas Agric. Exp. Stat. Res. Rep.* 1, Iss. 1, Art. 13.

Timmerman, H.M., Mulder, L., Everts, H., van Espen, D.C., van der Wal, E., Klaassen, G., Rouwers, S.M., Hartemink, R., Rombouts, F.M., Beynen, A.C., 2005. Health and growth of veal calves fed milk replacers with or without probiotics. *J Dairy Sci* 88, 2154–2165.

Vyas, D., Alemu, A.W., McGinn, S.M., Duval, S.M., Kindermann, M., Beauchemin, K.A., 2018. The combined effects of supplementing monensin and 3-nitrooxypropanol on methane emissions, growth rate, and feed conversion efficiency in beef cattle fed high-forage and high-grain diet. *J. Anim. Sci.* 96, 2923–2938.

Vyas, D., McGinn, S.M., Duval, S.M., Kindermann, M., Beauchemin, K.A., 2016a. Effects of sustained reduction of enteric methane emissions with dietary supplementation of 3-nitrooxypropanol on growth performance of growing and finishing beef cattle. *J. Anim. Sci.* 94, 2024–2034.

Vyas, D., McGinn, S.M., Duval, S.M., Kindermann, M., Beauchemin, K.A., 2016b. Optimal dose of 3-nitrooxypropanol for decreasing enteric methane emissions from beef cattle fed high-forage and high-grain diets. *Anim. Prod. Sci.* 58, 1049–1055.

Yang, W., Benchaar, C., Ametaj, B., Beauchemin, K., 2010c. Dose response to eugenol supplementation in growing beef cattle: Ruminal fermentation and intestinal digestion. *Anim. Feed Sci. Technol.* 158, 57–64.

Yang, Z., Ametaj, B.N., Benchaar, C., Beauchemin, K.A., 2010b. Dose response to cinnamaldehyde supplementation in growing beef heifers: Ruminal and intestinal digestion. *J. Anim. Sci.* 88, 680–688.

Yang, Z., Ametaj, B.N., Benchaar, C., He, M.L., Beauchemin, K.A., 2010a. Cinnamaldehyde in feedlot cattle diets: Intake, growth performance, carcass characteristics, and blood metabolites. *J. Anim. Sci.* 88, 1082–1092.

Yohe, T.T., Enger, B.D., Wang, L., Tucker, H.L.M., Ceh, C.A., Parsons, C.L.M., Yu, Z., Daniels, K.M., 2018. Short communication: Does early-life administration of a *Megasphaera elsdenii* probiotic affect long-term establishment of the organism in the rumen and alter rumen metabolism in the dairy calf? *J. Dairy Sci.* 101, 1747–1751.

